


2-wire Outdoor Station for low-rise building






ADVANCED VIDEO DISPLAY

■ NIGHT VIEW LED

- Auto sensor night-view LED, give you a colorful image even at the darkest night



■ WIDE ANGLE CAMERA

- Wide angle and high resolution camera
- 170 degree fish eye camera for a secure view angle to protect your life

Fisheye Lens

The door stations support specific 170° wide angle fish-eye camera to provide a view of the entire entrance.

With the fish-eye camera, it allows to identify everyone at the entrance and see individuals up close.





FUNCTIONS & FEATURES

■ PIR CONNECTION PORT

- Input connection with external sensors(motion/door magnet/IR)



■ PROXIMITY ACCESS

- Flexible adding/deleting cards



■ TWO INSTALLATIONS

- Support surface wall-mounted and flush mounted version



Large nameplate display

Soft white light illumination
Support 1/2/3/4 name list



2 LED indicators

Communication and door release indicators
White LED lighting for illumination



Anti-vandal & anti-theft

Full metal front panel against vandalism and cauterization
Anti-theft with special screw & screw driver



Strong waterproof

Robust construction
IP54 protection rate

Advanced Video Intercom Kit with 7 inch Memory Monitor



Monitor main features:



Ringer & Doorbell

It allows to connect external ringer and doorbell.



Intercom function

- Enable/disable the Intercom function;
- Selective name list intercom.



Pantilt & Zoom

- PAN TILT to see individuals up close;
- ZOOM IN or ZOOM OUT to identify everyone at the entrance.



Motion detect function

- Recording auto-activation;
- Relay actuator auto-activation;
- Alert announce.



Voice message

Host and visitor can leave message each other under home-away mode.




Image quad split

4 images can be viewed at the same time. This function should support by QSW module.



Call transfer

Call transfer via landline or GSM, it won't miss the call even though you are not at home. This function should support by GSM/TPS module.



SMS

Free short messages sending and receiving among monitors. This function should support by GSM module.

Item	Qty	Key words
DT607FE/ID/S4	1	4buttons, fish eye, proximity access
DT37MG/TD7	4	7 inch, touch screen, recording, voice message
PC6A	1	Power supply
DBC4A1	1	Branch distributor

Basic Video Door Phone with Economic 7 inch Monitor



Item	Qty	Key words
DT607FE/ID/S4	1	4buttons, fish eye, proximity access
DT17/D7	4	7 inch, touch sensor buttons
PC6A	1	Power supply
DBC4A1	1	Branch distributor

Audio Phone Kit with Hand Free Station



Item	Qty	Key words
DT607A/ID/S4	1	4buttons, audio phone, proximity access
DJ7A	4	Metal panel, 2 locks control
PC4	1	Power supply

Product List



DT607A/ID/S3



DT607FE/ID/S3



DT607F/FE/ID/S3



DT607A/ID/S4




DT607FE/ID/S4



DT607F/FE/ID/S4





Dimension



Connection

Wiring with star topology or in-out topology



Guangzhou Video-Tech Electronics Co., Ltd

F6/No.7 building, Huangzhou Industrial Area
Chebei Road, TianHe district, Guangzhou, China

Phone +86 / 20 / 38261205

Fax +86 / 20 / 38628806

www.v-tec.cn